

Legend Biotech Announces BCMA CAR-T Therapy Cilta-cel Accepted for Accelerated Assessment in Europe for the Treatment of Relapsed and/or Refractory Multiple Myeloma

SOMERSET, N.J., February 1, 2021—Legend Biotech Corporation (NASDAQ: LEGN) (“Legend Biotech”), a global clinical-stage biopharmaceutical company engaged in the discovery and development of novel cell therapies for oncology and other indications, announced today that the Committee for Medicinal Products for Human Use (CHMP) of the European Medicines Agency (EMA) has accepted a request for an accelerated assessment of the Marketing Authorisation Application (MAA) for the investigational B-cell maturation antigen (BCMA) targeted chimeric antigen receptor T-cell (CAR-T) therapy ciltacabtagene autoleucl (cilta-cel).

The request was made by Legend’s collaborator, Janssen Biotech, Inc. (Janssen). An accelerated assessment of the MAA is granted by the CHMP when a medicinal product is expected to be of major public health interest and therapeutic innovation.¹

The MAA, which is targeted for submission in the first half of 2021, is based on results from the pivotal Phase 1b/2 CARTITUDE-1 study which evaluated the efficacy and safety of cilta-cel in the treatment of patients with relapsed and/or refractory multiple myeloma. Results from the study were [presented \(Abstract #177\)](#) at the 62nd American Society of Hematology Annual Meeting last month.²

“The acceptance of the request for an accelerated assessment is an important testament for the potential use of cilta-cel in treating patients with multiple myeloma,” said Ying Huang, PhD, CEO and CFO of Legend Biotech. “Together with our collaborator Janssen, we look forward to working with the EMA as we advance this treatment option toward market and provide new hope for patients.”

The accelerated assessment milestone in Europe follows the December 2020 [announcement](#) of initiation of a rolling submission of the Biologics License Application for cilta-cel to the U.S. Food and Drug Administration (FDA). Cilta-cel previously [received](#) a PRiority MEdicines (PRiME) designation from the European Commission in April 2019.

About CARTITUDE-1

CARTITUDE-1 ([NCT03548207](#)) is an ongoing Phase 1b/2, open-label, multicenter study evaluating the safety and efficacy of cilta-cel in adults with relapsed and/or refractory multiple myeloma, 99 percent of whom were refractory to the last line of treatment; 88 percent of whom were triple-class refractory (to at least 1 immunomodulatory drug [IMiD], 1 proteasome inhibitor [PI] and 1 anti-CD38 antibody).³

The primary objective of the Phase 1b portion of the study was to characterize the safety and confirm the dose of cilta-cel, informed by the first-in-human study with LCAR-B38M CAR-T cells (LEGEND-2). The Phase 2 portion further evaluated the efficacy of cilta-cel with overall response rate as the primary endpoint.³

About Ciltacabtagene autoleucl (cilta-cel)

Cilta-cel is an investigational chimeric antigen receptor T cell (CAR-T) therapy, formerly identified as JNJ-4528 outside of China and LCAR-B38M CAR-T cells in China, that is being studied in a comprehensive clinical development program for the treatment of patients with relapsed and/or refractory multiple myeloma and in earlier lines of treatment. The design consists of a structurally differentiated CAR-T with two BCMA-targeting single domain antibodies. In December 2017, Legend Biotech, Inc. [entered](#) into an exclusive worldwide license and collaboration agreement with Janssen Biotech, Inc. to develop and commercialize cilta-cel.

In addition to a Breakthrough Therapy Designation (BTD) [granted](#) in the U.S. in December 2019, cilta-cel received a [BTD in China](#) in August 2020. In addition, Orphan Drug Designation was granted for cilta-cel by the U.S. FDA in February 2019, and by the European Commission in February 2020.

About Multiple Myeloma

Multiple myeloma is an incurable blood cancer that starts in the bone marrow and is characterized by an excessive proliferation of plasma cells.⁴ Although treatment may result in remission, unfortunately, patients will most likely relapse.⁵ Relapsed myeloma is when the disease has returned after a period of initial, partial or complete remission and does not meet the definition of being refractory.⁶ Refractory multiple myeloma is when a patient's disease is non-responsive or progresses within 60 days of their last therapy.^{7,8} While some patients with multiple myeloma have no symptoms until later stages of the disease, most patients are diagnosed due to symptoms that can include bone problems, low blood counts, calcium elevation, kidney problems or infections.⁹ Patients who relapse after treatment with standard therapies, including protease inhibitors and immunomodulatory agents, have poor prognoses and few treatment options.¹⁰

About Legend Biotech

Legend Biotech is a global clinical-stage biopharmaceutical company engaged in the discovery and development of novel cell therapies for oncology and other indications. Our team of over 800 employees across the United States, China and Europe, along with our differentiated technology, global development, and manufacturing strategies and expertise, provide us with the strong potential to discover, develop, and manufacture cutting edge cell therapies for patients in need.

We are engaged in a strategic collaboration to develop and commercialize our lead product candidate, ciltacabtagene autoleucel, an investigational BCMA-targeted CAR-T cell therapy for patients living with multiple myeloma. This candidate is currently being studied in registrational clinical trials.

To learn more about Legend Biotech, visit us on [LinkedIn](#), or on Twitter [@LegendBiotech](#) or at www.legendbiotech.com.

###

Cautionary Note Regarding Forward-Looking Statements

Statements in this press release about future expectations, plans and prospects, as well as any other statements regarding matters that are not historical facts, may constitute "forward-looking statements" within the meaning of The Private Securities Litigation Reform Act of 1995. These statements include, but are not limited to, statements relating to Legend Biotech's clinical efforts, its partnership with Janssen, and the regulatory submissions and reviews relating to cilta-cel, including the EMA's accelerated assessment of the MAA for cilta-cel. The words "anticipate," "believe," "continue," "could," "estimate," "expect," "intend," "may," "plan," "potential," "predict," "project," "should," "target," "will," "would" and similar expressions are intended to identify forward-looking statements, although not all forward-looking statements contain these identifying words. Actual results may differ materially from those indicated by such forward-looking statements as a result of various important factors, including the factors discussed in the "Risk Factors" section of the prospectus filed with the Securities and Exchange Commission on June 8, 2020. Any forward-looking statements contained in this press release speak only as of the date hereof, and Legend Biotech specifically disclaims any obligation to update

any forward-looking statement, whether as a result of new information, future events or otherwise. Readers should not rely upon the information on this page as current or accurate after its publication date.

For Media and Investor Relations inquiries, please contact:

Jessie Yeung, Head of Corporate Finance and Investor Relations, Legend Biotech
jessie.yeung@legendbiotech.com or investor@legendbiotech.com

Surabhi Verma, Manager of Investor Relations and
Corporate Communications, Legend Biotech USA Inc.
Surabhi.Verma@legendbiotech.com or media@legendbiotech.com

For Medical Affairs inquiries, please contact:

Tonia Nesheiwat, Executive Director, Medical Affairs, Legend Biotech
tonia.nesheiwat@legendbiotech.com or medicalinformation@legendbiotech.com

¹ EMA. Accelerated Assessment. Available at: <https://www.ema.europa.eu/en/human-regulatory/marketing-authorisation/accelerated-assessment>. Accessed January 2021.

² Madduri, D et al. CARTITUDE-1: Phase 1b/2 Study of Ciltacabtagene Autoleucel, a B-Cell Maturation Antigen–Directed Chimeric Antigen Receptor T Cell Therapy, in Relapsed/Refractory Multiple Myeloma. Abstract #177. Oral Presentation. Presented at 2020 American Society of Hematology Annual Meeting

³ CARTITUDE-1 (NCT03548207). Available: <https://clinicaltrials.gov/ct2/show/NCT03548207>. Accessed January 2021.

⁴ American Society of Clinical Oncology. Multiple myeloma: introduction. Available at: <https://www.cancer.net/cancer-types/multiple-myeloma/introduction>. Accessed January 2021.

⁵ Abdi J, Chen G, Chang H, et al. Drug resistance in multiple myeloma: latest findings and new concepts on molecular mechanisms. *Oncotarget*. 2013;4:2186–2207.

⁶ National Cancer Institute. NCI dictionary of cancer terms: relapsed. Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms?CdrID=45866>. Accessed January 2021.

⁷ National Cancer Institute. NCI dictionary of cancer terms: refractory. Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms?CdrID=350245>. Accessed January 2021.

⁸ Richardson P, Mitsiades C, Schlossman R, et al. The treatment of relapsed and refractory multiple myeloma. *Hematology Am Soc Hematol Educ Program*. 2007:317-23.

⁹ American Cancer Society. Multiple myeloma: early detection, diagnosis and staging. Available at: <https://www.cancer.org/content/dam/CRC/PDF/Public/8740.00.pdf>. Accessed January 2021

¹⁰ Kumar SK, Lee JH, Lahuerta JJ, et al. Risk of progression and survival in multiple myeloma relapsing after therapy with IMiDs and bortezomib: a multicenter international myeloma working group study. *Leukemia*. 2012;26:149-57.